



Issued Date	9/19/2022	Transmit #	
Issued By	dschoeck	Issued Rev	

## **TYPICAL MOTOR PERFORMANCE DATA**

Model: 3/42SDSC31H-P

HP	kW	Pole	FL RPM	Frame	Voltage	Hz	Phase	FL Amps
0.75	0.55	2	3520	56	575	60	3	0.9
Enclosure	IP	Ins. Class	S.F.	Duty	NEMA Nom. Eff.	NEMA Design	kVA Code	Ambient (°C)
TEFC	55	F	1.25	CONT	84.0	-		40 C

Load	HP	kW	Amperes	Efficiency (%)	Power Factor (%)
Full Load	0.75	0.6	0.9	84.8	75.0
¾ Load	0.56	0.4	0.7	82.3	67.7
½ Load	0.37	0.3	0.6	76.4	55.9
¼ Load	0.19	0.1	0.5	63.1	44.8
No Load			0.5		
Locked Rotor			6.6		55.1

Torque							
Full Load Locked Rotor Pull Up Break Down							
(lb-ft)	(% FLT)	(% FLT)	(% FLT)	(lb-ft²)			
1.12	250	190	300	0.04			

Safe Stall Time(s)		Sound Bearings*		Approx. Motor Weight		
Cold	Hot	Pressure	Bearings		Approx. Motor Weight	
Cold Hot		dB(A) @ 1M	DE	NDE	(lbs)	
35	15		6305ZZ	6305ZZ	48	

\*Bearings are the only recommended spare part(s).

Motor Options: Mounting:Footed,Shaft:56

Customer	
Customer PO	
Sales Order	
Project #	

Tag:

All characteristics are average expected values.

TOSHIBA INTERNATIONAL CORPORATION · HOUSTON, TEXAS U.S.A.								
Engineering	SPinzon	Doc. Written By	D. Suarez	Doc.# / Rev	MPCF-1119 / 0			
Engr. Date	8/4/2022	Doc. Approved By	M. Campbell	Doc. Issued	6/8/2011			




Issued Date	9/19/2022	Transmit #	
Issued By	dschoeck	Issued Rev	

## SPEED TORQUE/CURRENT CURVE

Model: 3/42SDSC31H-P

HP	kW	Pole	FL RPM	Frame	Voltage	Hz	Phase	FL Amps
0.75	0.55	2	3520	56	575	60	3	0.9
Enclosure	IP	Ins. Class	S.F.	Duty	NEMA Nom. Eff.	NEMA Design	kVA Code	Ambient (°C)
TEFC	55	F	1.25	CONT	84.0	-		40 C
Laskad Datas	Rotor wk <sup>2</sup>	Torque						
Locked Rotor	Inertia	Full Load	Locked	Rotor	Pull Up	)	Break	Down
Amps	(lb-ft²)	(lb-ft)	(%	(%)			(%	<b>%)</b>
6.6	0.04	1.12	250		190		30	00

## Design Values






Customer	wk² Load Inertia (lb	ft²) -		
Customer PO	Load T	/pe -		
Sales Order	Voltage	<b>(%)</b> 100		
Project #	Accel. T	me -		


Tag:

All characteristics are average expected values.

TOSHIBA INTERNATIONAL CORPORATION · HOUSTON, TEXAS U.S.A.								
Engineering	SPinzon	Doc. Written By	D. Suarez	Doc.# / Rev	MPCF-1121 / 0			
Engr. Date	8/4/2022	Doc. Approved By	M. Campbell	Doc. Issued	6/8/2011			

## Motor Connection Diagram 3 Leads - Wye Connection Single Voltage





Switch L1 and L2 to reverse rotation

Each lead may consist of more than one cable. If multiple cables represent a single lead, each one of them will be labeled with the appropriate lead number.

By: R. Murillo Date: 4/9/08 Checked: Date: Revision 0